

BECAUSE YOU CAN'T SEE STERILE.®

2017

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

JULY						
S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

AUGUST						
S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

SEPTEMBER						
S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

**Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336**

FOR STERILITY ASSURANCE:
EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services

Crosstex®, Sure-Check®, SteamPlus™, ConFirm®, and Because You Can't See Sterile.® are trademarks and registered trademarks of Crosstex International, Inc.

BECAUSE YOU CAN'T SEE STERILE.®**2017****www.CrosstexBMS.com***Contact us for test status at 800-819-3336***How often should I perform biological monitoring (BI) (spore testing)?**

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- **Whenever a new type of packaging material or tray is used.**
- **After training new sterilization personnel.**
- **After any sterilizer repair or maintenance.**
- **After any change in the sterilizer loading procedures.**

Circle the date
each week that
BI testing was
performed

OCTOBER						
S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

NOVEMBER						
S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30		

DECEMBER						
S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

FOR STERILITY ASSURANCE:
EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services

Crosstex®, Sure-Check®, SteamPlus™, ConFirm®, and Because You Can't See Sterile.® are trademarks and registered trademarks of Crosstex International, Inc.

BECAUSE YOU CAN'T SEE STERILE.

2017

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- **Whenever a new type of packaging material or tray is used.**
- **After training new sterilization personnel.**
- **After any sterilizer repair or maintenance.**
- **After any change in the sterilizer loading procedures.**

Circle the date each week that BI testing was performed

APRIL						
S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

MAY						
S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

JUNE						
S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

FOR STERILITY ASSURANCE:
EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services

Crosstex®, Sure-Check®, SteamPlus™, ConFirm®, and Because You Can't See Sterile.® are trademarks and registered trademarks of Crosstex International, Inc.

© 2016 Crosstex 11/2/2016 CTX5067