

BECAUSE YOU CAN'T SEE STERILE.

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- · After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

JANUARY						
S	M	Т	W	Т	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

	FEBRUARY							
S	M	Т	W	Т	F	S		
				1	2	3		
4	5	6	7	8	9	10		
11	12	13	14	15	16	17		
18	19	20	21	22	23	24		
25	26	27	28					

	MARCH							
S	M	T	W	Т	F	S		
				1	2	3		
4	5	6	7	8	9	10		
11	12	13	14	15	16	17		
18	19	20	21	22	23	24		
25	26	27	28	29	30	31		

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

FOR STERILITY ASSURANCE:

EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services



BECAUSE YOU CAN'T SEE STERILE.

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

	APRIL					
S	M	T	W	Т	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

	MAY							
S	M	T	W	Т	F	S		
		1	2	3	4	5		
6	7	8	9	10	11	12		
13	14	15	16	17	18	19		
20	21	22	23	24	25	26		
27	28	29	30	31				

	JUNE							
S	M	T	W	Т	F	S		
					1	2		
3	4	5	6	7	8	9		
10	11	12	13	14	15	16		
17	18	19	20	21	22	23		
24	25	26	27	28	29	30		

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST
	INITIALS OF PERSON WHO RAN TEST	INITIALS OF PERSON WHO RANTEST MAIL DATE MAIL DATE MAIL DATE MAIL DATE

FOR STERILITY ASSURANCE:

EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services



BECAUSE YOU CAN'T SEE STERILE.

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

	JULY					
S	M	T	W	Т	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

	AUGUST							
S	M	T	W	Т	F	S		
			1	2	3	4		
5	6	7	8	9	10	11		
12	13	14	15	16	17	18		
19	20	21	22	23	24	25		
26	27	28	29	30	31			

	SEPTEMBER							
S	M	T	W	Т	F	S		
						1		
2	3	4	5	6	7	8		
9	10	11	12	13	14	15		
16	17	18	19	20	21	22		
23	24	25	26	27	28	29		
30			·					

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST
	INITIALS OF PERSON WHO RAN TEST	INITIALS OF PERSON WHO RAN TEST MAIL DATE MAIL DATE MAIL DATE MAIL DATE MAIL DATE

FOR STERILITY ASSURANCE:

EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK. CONFIRM® Biological Monitoring Services



BECAUSE YOU CAN'T SEE STERILE.

www.CrosstexBMS.com

Contact us for test status at 800-819-3336

How often should I perform biological monitoring (BI) (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

OCTOBER						
S	M	T	W	Т	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

NOVEMBER						
S	M	Т	W	Т	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

DECEMBER						
S	M	T	W	Т	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31	·	·			

Have any questions?
Call Crosstex® Customer Care at:
1-800-819-3336

INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST
	INITIALS OF PERSON WHO RAN TEST	INITIALS OF PERSON WHO RAN TEST MAIL DATE MAIL DATE MAIL DATE MAIL DATE

FOR STERILITY ASSURANCE:

EVERY LOAD. SURE-CHECK® Sterilization Pouches
EVERY DAY. STEAMPlus™ Type 5 Integrators
EVERY WEEK, CONFIRM® Biological Monitoring Services